Information Processing Letters 44 (1993) 349–351
North-Holland

28 December 1992

Author Index Volume 44 (1992)

(The issue number is given in front of the page numbers.)

Acharya, A. and **B.R. Badrinath**, Recording distributed snapshots based on causal order of message delivery (6) 317–321
Amir, A. and **M. Farach**, Two-dimensional dictionary matching (5) 233–239

Badrinath, B.R., *see* **Acharya, A.** (6) 317–321
Bainbridge, J., A heuristic method for generating large random expressions (3) 165–170
Bar-Noy, A., R. Motwani and **J. Naor**, The greedy algorithm is optimal for on-line edge coloring (5) 251–253
Bilardi, G., *see* **Kapur, S.** (1) 35– 38
Bousquet-Mélou, M., The number of minimal word chains computing the Thue–Morse word (2) 57– 64
Bovet, D.P. and **S. Varricchio**, On the regularity of languages on a binary alphabet generated by copying systems (3) 119–123
Breslauer, D., An on-line string superprimitivity test (6) 345–347

Cadoli, M., The complexity of model checking for circumscriptive formulae (3) 113–118
Chang, H.-W. and **K.-L. Chung**, Fault-tolerant routing in unique-path multistage Omega network (4) 201–204
Chen, R.-J. and **Y.-S. Hou**, Non-associative parallel prefix computation (2) 91– 94
Chen, R.-J., *see* **Wu, J.-S.** (5) 241–243
Chien, B.-C. and **W.-P. Yang**, The worst case analysis of algorithm on multiple stacks manipulation (2) 107–111
Choi, H.-A., *see* **Han, Y.** (3) 141–148
Chung, K.-L., *see* **Chang, H.-W.** (4) 201–204
Chung, S.M., Indexed extendible hashing (1) 1– 6
Cohen, D.A. and **E.A. Scott**, Rationality of division orderings (6) 307–311

Dalal, M. and **D.W. Etherington**, A hierarchy of tractable satisfiability problems (4) 173–180
d'Amore, F. and **P.G. Franciosa**, On the optimal binary plane partition for sets of isothetic rectangles (5) 255–259
Das, A., *see* **Luo, G.** (6) 333–343

De Iaco, B. and **F. Luccio**, Finding all the palindromes in a binary tree in linear time and space (2) 73– 77
Dekel, E., J. Hu and **W. Ouyang**, An optimal algorithm for finding compact sets (5) 285–289
Du, D.-z., *see* **Jiang, T.** (4) 195–199

Engelfriet, J., An elementary proof of Double Greibach Normal Form (6) 291–293
Etherington, D.W., *see* **Dalal, M.** (4) 173–180

Farach, M., *see* **Amir, A.** (5) 233–239
Feige, U., On the complexity of finite random functions (6) 295–296
Fortnow, L. and **M. Szegedy**, On the power of two-local random reductions (6) 303–306
Franciosa, P.G., *see* **d'Amore, F.** (5) 255–259

Garg, V.K., Some optimal algorithms for decomposed partially ordered sets (1) 39– 43
Gastin, P., E. Ochmanski, A. Petit and **B. Rozoy**, Decidability of the Star Problem in $A^* \times \{b\}^*$ (2) 65– 71
Ghosh, S.K. and **A. Maheshwari**, An optimal parallel algorithm for computing furthest neighbors in a tree (3) 155–160
Greenberg, R., J. Jájá and **S. Krishnamurthy**, On the difficulty of Manhattan channel routing (5) 281–284
Gupta, G., Dynamic parallel evaluation of the cross-product set using time-stamps (5) 273–280
Gupta, S., On the closure of certain function classes under integer division by polynomially-bounded functions (4) 205–210

Hammer, P.L. and **A. Kogan**, Horn functions and their DNFs (1) 23– 29
Han, Y., B. Narahari and **H.-A. Choi**, Mapping a chain task to chained processors (3) 141–148
Henschen, L.J., *see* **Lu, J.J.** (3) 135–140
Hou, Y.-S., *see* **Chen, R.-J.** (2) 91– 94
Hu, J., *see* **Dekel, E.** (5) 285–289
Hwang, T., Efficient ID-based key distribution with tamperfree devices (1) 31– 34

Jájá, J., *see* **Greenberg, R.** (5) 281–284

Jiang, T., M. Li and **D.-z. Du**, A note on shortest superstrings with flipping (4) 195–199

Kao, M.-Y. and **F. Wan**, Not all planar digraphs have small cycle separators (2) 79– 83
Kapur, S. and **G. Bilardi**, On uniform learnability of language families (1) 35– 38
Kasahara, M., *see* **Morii, M.** (2) 85– 89
Kogan, A., *see* **Hammer, P.L.** (1) 23– 29
Krishnamurthy, S., *see* **Greenberg, R.** (5) 281–284

Landowne, E., *see* **Pan, V.** (3) 149–153
Leung, H., A note on finitely ambiguous distance automata (6) 329–331
Li, M., *see* **Jiang, T.** (4) 195–199
Lin, J.-H. and **J.S. Vitter**, Approximation algorithms for geometric median problems (5) 245–249
Lins, R.D., Cyclic reference counting with lazy mark-scan (4) 215–220
Lobo, J. and **V.S. Subrahmanian**, Relating minimal models and pre-requisite-free normal defaults (3) 129–133
Lu, J.J. and **L.J. Henschen**, The completeness of gp-resolution for annotated logics (3) 135–140
Luccio, F., *see* **De Iaco, B.** (2) 73– 77
Luo, G., G. v. Bochmann, A. Das and **C. Wu**, Failure-equivalent transformation of transition systems to avoid internal actions (6) 333–343

Maheshwari, A., *see* **Ghosh, S.K.** (3) 155–160
Mäkinen, E., Remarks on the structural grammatical inference problem for context-free grammars (3) 125–127
Martello, S. and **P. Toth**, A note on 0.5-bounded greedy algorithms for the 0/1 knapsack problem (4) 221–222
Masuyama, S. and **S. Naito**, Deciding whether graph G has page number one is in NC (1) 7– 10
Morii, M. and **M. Kasahara**, Perfect staircase profile of linear complexity for finite sequences (2) 85– 89
Motwani, R., *see* **Bar-Noy, A.** (5) 251–253
Mukhopadhyaya, K. and **B.P. Sinha**, Hamiltonian graphs with minimum number of edges for fault-tolerant topologies (2) 95– 99

Naito, S., *see* **Masuyama, S.** (1) 7– 10
Naor, J., *see* **Bar-Noy, A.** (5) 251–253
Narahari, B., *see* **Han, Y.** (3) 141–148

Ochmanski, E., *see* **Gastin, P.** (2) 65– 71
Ouyang, W., *see* **Dekel, E.** (5) 285–289
Overmars, M.H., Point location in fat subdivisions (5) 261–265

Pachl, J., A simple proof of a completeness result for *leads-to* in the UNITY logic (*Corrigendum*) (3) 171
Pan, V., A. Sadikou and **E. Landowne**, Polynomial division with a remainder by means of evaluation and interpolation (3) 149–153
Paschos, V.T., A $(\Delta/2)$-approximation algorithm for the maximum independent set problem (1) 11– 13
Pascoletti, A., An optimal algorithm for the period of a strongly connected digraph (6) 313–316
Petit, A., *see* **Gastin, P.** (2) 65– 71

Rossmanith, P. and **W. Rytter**, Observations on $\log(n)$ time parallel recognition of unambiguous cfl's (5) 267–272
Rozoy, B., *see* **Gastin, P.** (2) 65– 71
Rytter, W., *see* **Rossmanith, P.** (5) 267–272

Sadikou, A., *see* **Pan, V.** (3) 149–153
Scott, E.A., *see* **Cohen, D.A.** (6) 307–311
Sharary, A. and **N. Zaguia**, On a setup optimization problem for interval orders (1) 51– 55
Shvartsman, A.A., An efficient Write-All algorithm for fail-stop PRAM without initialized memory (4) 223–231
Simonson, S. and **I.H. Sudborough**, On the complexity of tree embedding problems (6) 323–328
Sinha, B.P., *see* **Mukhopadhyaya, K.** (2) 95– 99
Sreenivasa Kumar, P., *see* **Veeraraghavulu, N.C.** (1) 45– 49
Subrahmanian, V.S., *see* **Lobo, J.** (3) 129–133
Sudborough, I.H., *see* **Simonson, S.** (6) 323–328
Szegedy, M., *see* **Fortnow, L.** (6) 303–306

Tamura, A. and **Y. Tamura**, Degree constrained tree embedding into points in the plane (4) 211–214
Tamura, Y., *see* **Tamura, A.** (4) 211–214
Teo, K.-H. and **T.-C. Tuan**, An efficient one-side height minimization algorithm for routing around a rectangle (2) 101–105
Toth, P., *see* **Martello, S.** (4) 221–222
Tuan, T.-C., *see* **Teo, K.-H.** (2) 101–105

Varricchio, S., *see* **Bovet, D.P.** (3) 119–123
v. Bochmann, G., *see* **Luo, G.** (6) 333–343
Veeraraghavulu, N.C., P. Sreenivasa Kumar and **C.E. Veni Madhavan**, A linear-time algorithm for isomorphism of a subclass of chordal graphs (1) 45– 49
Veni Madhavan, C.E., *see* **Veeraraghavulu, N.C.** (1) 45– 49
Vishwanathan, S., An approximation algorithm for the asymmetric travelling salesman problem with distances one and two (6) 297–302
Vitter, J.S., *see* **Lin, J.-H.** (5) 245–249

Wan, F., *see* **Kao, M.-Y.** (2) 79– 83
Wang, K. and **L.Y. Yuan**, Preservation of integrity constraints in definite DATALOG programs (4) 185–193

Woeginger, G.J., The complexity of finding arborescences in hypergraphs (3) 161–164
Wu, C., *see* **Luo, G.** (6) 333–343
Wu, J.-S. and **R.-J. Chen**, The towers of Hanoi problem with parallel moves (5) 241–243

Yang, C.-H., *see* **Yu, M.-S.** (1) 15– 22
Yang, W.-P., *see* **Chien, B.-C.** (2) 107–111
Yu, M.-S. and **C.-H. Yang**, An optimal parallel algorithm for the domatic partition problem on an interval graph given its sorted model (1) 15– 22
Yuan, L.Y., *see* **Wang, K.** (4) 185–193

Zaguia, N., *see* **Sharary, A.** (1) 51– 55
Zhang, L., The pre-NTS property is undecidable for context-free grammars (4) 181–184